



NEURODIVERSITY**HUB**

**Neurodiverse Self-Care:  
Managing Anxiety Through  
Connection**



This piece has been written by neurodiverse individuals *for* neurodiverse individuals. We uniquely understand the challenges of self-care and how anxiety can impact or impede this process.

Self-care is formally defined by the Oxford English Dictionary as: “The practice of taking action to preserve or improve one’s own health”. The definition adds, “self-care is the practice of taking an *active role* protecting one’s own well-being and happiness, in particular during periods of stress.” Reflecting on this description, we have created a list of activities and actions to better support fellow neurodiverse individuals going about their daily lives.

In the same way we all have basic physical needs, all humans have certain, basic psychological needs.

We need to feel connected, that we belong, that we are valued, are good at something, have a purpose, and have a secure future. Johann Hari (2018) argues that the epidemic of depression and anxiety is due to a culture which is disconnecting all of us from the things we really need. Where we can, we need to restore that connection, and work on any internal barriers stopping us from being connected. There are various methods to reconnect, the first of which is grounding.



## Grounding

The act of grounding involves a conscious act of mindful practice to connect your mind, body and (if you believe in it) spirit. Grounding strategies are some of the simplest and most effective ways to bypass anxious and catastrophic thinking, even if only momentarily. These strategies can be divided into two areas:



1) *To bring your attention into your body.*



2) *To orient you in the present moment.*

Bringing your attention into your body is the act of focusing on your physical self. To get started with mindfulness in this manner, you can ask yourself: What does my body feel like *right now*? Are there any sensations in my body: Any hotness or cold? Do I notice any tingling, or itching? When I concentrate my attention on my body, do I feel soreness in places, or aches, or discomfort?

***“Your body often ‘knows’  
things before you do”***

By bringing your attention inwards in this way, you can get to understand the way you experience your world in a deeply somatic manner. Your body often ‘knows’

things before you do. It provides feedback to you, showing that you are overwhelmed, or developing the flu, or that you cannot trust someone, or that you're falling in love; the body reacts immediately to input in the environment. It shows us what's happening *from inside*. We just need to stop for a moment and tune in.

Some common techniques for orienting your attention *outwards* and connecting to the present moment include listing facts such as your name, age, the day of the week, these as on and the year (Blue Knot Foundation, 2019).

You may also like to describe the colours, textures and objects around you to reclaim a sense of connectedness to time and place (Altman, 2014; Forsyth & Eifert, 2018).

These techniques work well to help ground you during a panic attack or in a moment of autistic overwhelm.

Many sources also emphasise the importance of stopping what you are doing to breathe deeply and consciously, which is a technique that both grounds us into our body *and* into the present moment (Edwards, 2005). Another method for grounding is getting barefoot and trying some yoga poses, walking in nature, or stamping your feet and feeling the sensations through your lower body (Garland, 2014; Living Well, 2019).

### **Get into Nature, or stay on a farm**

Being in nature is an additional source of grounding, serving to reconnect us with the basic processes of life. Underneath all the noise, the tension and stress, a connection with nature serves to remind us of our fundamental existence as a 'human animals' (see

Dubois, 1968). Nature offers much in terms of finding peace and calm; studies show young children indicate a strong desire to connect with their environment (Levin & Unsworth, 2013). The emerging field of environmental psychology substantiates this inherent desire, showing that simply spending time in nature is associated with decreased anxiety, depression and physical illness (Mayer et al., 2009). The benefits of getting into nature are even greater when paired with physical activity. Rather than simply going to the gym, researchers are advocating the benefits of 'green exercise', as this is associated with significant improvements in mood and self-esteem (Barton et al., 2016). The positive effect is even more pronounced when you exercise near a body of water such as the ocean, a river or lake (Barton & Pretty, 2010).

In addition to releasing vital endorphins which leave you feeling happier in the short term (Craft & Penra, 2004), you will also be forming a new habit, investing in your long-term psychological health and vitality (DiLorenzo et al., 1999).

One way to get your dose of 'green exercise' could be to sign up for a farm stay. For example, WWOOF (Willing Workers on Organic Farms) is a recognised network with a thriving international community (Federation of WWOOF Organisations, 2019). 'WWOOFing' involves working 4-6 hours per day in exchange for meals and lodgings. It may be the perfect way to 'reset', to reconnect with your food source and to meet like minded travelers and new friends.

## **Reclaiming anger and other emotions**

Sometimes chronic anxiety or depression are the result of suppressed emotions like anger. This is a theory put forth by Heller and LaPierre (2012) in their book “Healing Developmental Trauma” and provides another angle in which we can tackle depression and anxiety. Feelings of anger are an important milestone on the pathway towards acceptance (Kubler-Ross & Kessler, 2014). It is important for us to recognise that it is ok, and even healthy, to be angry. This isn’t necessarily the message that we receive as children, or from society in general (see Brown, 1999). However, it is the human condition to experience a range of emotions, and it is also our responsibility to learn to express these emotions adaptively and healthily (see Modcrin-McCarthy et al., 1998).

Rather than suppressing anger, disappointment, betrayal or even missed opportunities, allow yourself to feel and to grieve these losses. Feel secure in your decision to explore every part of you, and don’t be afraid to be loud or to take up space. You will be better able to integrate your life, perhaps even emerging with a sense of empowerment for how personal tragedy has shaped you as a strong and resilient individual (Wineman, 2003; Slade & Longden, 2012).

### **Evidence-based treatments**

If you are considering treatment for anxiety or depression, it pays to know what resonates with you personally, as well as what works. One common

approach to treating anxiety and depression is cognitive-behaviour altherapy (CBT). This involves examining thoughts and behaviours to identify those which are creating and maintaining a negative state of mind (Beck, 2011). While CBT has a longstanding tradition in the West, mindfulness-based cognitive therapy and mindfulness-based stress reduction combine Eastern and Western approaches. These focus on attuning to body, breath, sensations and perceptions as they arise in the present moment (Crane et al., 2017).

There is also an emerging evidence-base which supports the effectiveness of creative and arts-based therapies (Fernández-Aguayo & Pino-Juste, 2018; Ritter & Low, 1996; Slayton, D'Archer & Kaplan,

2010), as well as culturally diverse approaches to healing (Griner & Smith, 2006). These may allow an exploration of emotion and meaning through different talking therapies, drawing, painting, movement, song and dance. As these approaches grow in recognition, they grant greater access to being able to work within your personal preferences. They validate the diverse needs of our global community and nurture the capacity to heal in ways which are both meaningful and empowering (see Akomolafe, 2012).



Many people find medication to be helpful in the initial stages of recovery from mental health difficulties, however they often report that medication does not resolve the root cause of their symptoms (Longden, 2010). There is no shame in asking for help, or in taking medication that will assist you to cope. With guidance and a variety of approaches, trust yourself to make whatever steps necessary to make a full recovery.



## Creative arts

Creativity has been described as the essence of life (Cameron, 1994) and essential for mental health and overall happiness (Barron & Barron, 2013). For neurodivergents in particular, the pathway towards a strong and stable sense of identity often lies in the expression of our creative skills and talents (Cook & Garnett, 2018; Davis & Braun, 2011). This may look like reviving those creative callings which occupied you as a child (Altucher & Azula-Altucher, 2014), or nurturing your passions and prioritising the time to explore and express them.



Whether you choose to express yourself through writing, painting, cooking, sculpting or performance, creativity provides a symbolic language through which you can explore the many sides of yourself, including your struggles. The abstract and language of art may allow you to voice what lies at the root of anxiety or depression – that which may be too complicated to describe in ordinary terms (see Liebmann, 1990; Rosen 2002). Creativity requires a degree of playfulness and a willingness to take risks (Gilbert, 2016).

The mere act of engaging creatively can be enough to engage a mild meditative state, interrupting the spiral of negative thoughts and encouraging your mind in a new direction (Curry & Kasser, 2005).

## **Talk to someone**

Sometimes our situation isn't as hopeless as we think, and other people can help us see that. At the very least, it often helps to get out our pain with someone who can hold a safe space for us. The key is finding someone who has your best interests at heart. They can act as a sounding board and help you to unravel any anxieties while reminding you of your strengths. While it may be tempting to go it alone, we are all inherently social creatures (Maslow, 1987; Cook & Garnett, 2018). You will ultimately flourish for having reached out for human connection.

### Quick reference guide:

- **Grounding Exercise booklet** – Will help calm you when you're feeling overwhelmed or if you are going to panic. This is foldable leaflet is available under the Resources tab at Neurodiversity Hub: <https://www.neurodiversityhub.org>
- **Get out into nature** – If you want to volunteer and feel the earth under foot, we think WWOOF is a fun option: <https://wwooof.net>

### ACKNOWLEDGEMENTS

Authors: Erin Thomas  
Zoe Glen-Norman

Editor: Autumn O'Connor,  
Untapped Group Pty Ltd

## REFERENCES

- Altucher, J. & Azula-Altucher, C. (2014). *The Power of No*. Carlsbad, CA: Hay House inc.
- Akomolafe, A. C. (2012). Decolonizing the notion of mental illness and healing in Nigeria, West Africa. In D. Manolis, M. Athanasios, M. Mihalīs, P. Desmond & T. Sofia (eds.). *Critical psychology in a changing world: The dialectics of critical psychology* (pp. 726–740). *Annual review of critical psychology*, 10. Retrieved from <http://eprints.covenantuniversity.edu.ng/1611/#.XL7uzqQRXIU>
- Barron, C., & Barron, A. (2013). *The creativity cure: How to build happiness with your own two hands*. Simon and Schuster.
- Barton, J., Bragg, R., Wood, C., & Pretty, J. (2016). *Green exercise: Linking nature, health and well-being*. Routledge.
- Barton, J., & Pretty, J. (2010). What is the best dose of nature and green exercise for improving mental health? A multi-study analysis. *Environmental science & technology*, 44(10), 3947-3955. Retrieved from <https://doi.org/10.1021/es903183r>
- Beck, J. S. (2011). *Cognitive behaviour therapy: Basics and beyond*. Guilford press.
- Blue Knot Foundation (2019). Grounding [website]. Retrieved from <https://www.blueknot.org.au/Survivors/Self-care/grounding>
- Brown, L. M. (1999). *Raising their voices: The politics of girls' anger*. Harvard University Press.
- Cameron, J. (1994). *The artist's way*. Souvenir Press
- Craft, L. L., & Perna, F. M. (2004). The benefits of exercise for the clinically depressed. *Primary care companion to the Journal of clinical psychiatry*, 6(3), 104, retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC474733/>
- Cook, B., & Garnett, M. (2018). *Spectrum women*. London: Jessica Kingsley Publishers.
- Crane, R. S., Brewer, J., Feldman, C., & Kabat-Zinn, J. (2017). What defines mindfulness-based programs? The warp and the weft. *Psychological Medicine*, 47(6), 990-999. Retrieved from <https://doi.org.dbgw.lis.curtin.edu.au/10.1017/S0033291716003317>
- Curry, N. A., & Kasser, T. (2005). Can colouring mandalas reduce anxiety? *Art Therapy*, 22(2), 81-85. Retrieved from <https://doi.org/10.1080/07421656.2005.10129441>
- Davis, R. D., & Braun, E. M. (2011). *The gift of dyslexia: Why some of the brightest people can't read and how they can learn*. London: Souvenir Press.

- DiLorenzo, T. M., Bargman, E. P., Stucky-Ropp, R., Brassington, G. S., Frensch, P. A., & LaFontaine, T. (1999). Long-term effects of aerobic exercise on psychological outcomes. *Preventive medicine*, 28(1), 75-85. Retrieved from <https://doi.org/10.1006/pmed.1998.0385>
- Dubois, R. (1968). *So human an animal*. NY: Scribner.
- Edwards, S. (2005). A psychology of breathing methods. *International Journal of Mental Health Promotion*, 7(4), 30-36. Retrieved from <https://www.tandfonline.com/doi/abs/10.1080/14623730.2005.9721958>
- Federation of WWOOF Organisations. (2019). WWOOF [website]. Retrieved from <https://wwooof.net/>
- Fernández-Aguayo, S. & Pino-Juste, M. (2018). Drama therapy and theatre as an intervention tool: Bibliometric analysis of programs based on drama therapy and theatre. *The Arts in Psychotherapy*, 59, 83–93.
- Gilbert, E. (2016). *Big magic: Creative living beyond fear*. London: Penguin.
- Hari, J. (2018). *Lost Connections: Uncovering the Real Causes of Depression – and the Unexpected Solutions*. London: Bloomsbury.
- Heller, L., & LaPierre, A. (2012). *Healing developmental trauma: How early trauma affects self-regulation, self-image, and the capacity for relationship*. North Atlantic Books.
- Kubler-Ross, E., & Kessler, D. (2014). *On grief and grieving: Finding the meaning of grief through the five stages of loss*. Simon and Schuster.
- Levin, W. E., & Unsworth, S. J. (2013). Do humans belong with nature? The influence of personal vs. abstract contexts on human-nature categorization at different stages of development. *Journal of Environmental Psychology*, 33, 9–13. Retrieved from <http://doi.org/10.1016/j.jenvp.2012.08.001>
- Liebmann, M. (1990). *Art therapy in practice* London: Jessica Kingsley Publishers.
- Living Well. (2019) Grounding Exercises [website]. Retrieved from <https://www.livingwell.org.au/well-being/mental-health/grounding-exercises/>
- Longden, E. (2010). Making sense of voices: A personal story of recovery, *Psychosis*, 2(3), 255-259. doi: 10.1080/17522439.2010.512667
- Maslow, A., & Lewis, K. J. (1987). Maslow's hierarchy of needs. *Salenger Incorporated*, 14, 987. Retrieved from <http://www.researchhistory.org/2012/06/16/maslows-hierarchy-of-needs/>
- Mayer, F. S., Frantz, C. M., Bruehlman-Senecal, E., & Dolliver, K. (2009). Why is nature beneficial? The role of connectedness to nature. *Environment and behaviour*, 41(5), 607-643. Retrieved from <https://doi.org/10.1177/0013916508319745>
- Modrcin McCarthy, M. A., Pullen, L., Barnes, A. F., & Alpert, J. (1998). Childhood anger: So common, yet so misunderstood. *Journal of Child and Adolescent Psychiatric Nursing*, 11(2), 69-77. Retrieved from <https://doi.org/10.1111/j.1744-6171.1998.tb00433.x>

Ritter, M., & Low, K. G. (1996). Effects of dance/movement therapy: A meta-analysis. *The arts in Psychotherapy*, 23(3), 249-260.  
Retrieved from [https://doi.org/10.1016/0197-4556\(96\)00027-5](https://doi.org/10.1016/0197-4556(96)00027-5)

Rosen, D. H. (2002). *Transforming depression: Healing the soul through creativity*. Nicolas-Hays, Inc.

Slade, M. & Longden, E. (2012). Empirical evidence about recovery and mental health, *BMC Psychiatry*, 15(285), doi: 10.1186/s12888-015-0678-4.

Slayton, S. C., D'Archer, J., & Kaplan, F. (2010). Outcome studies on the efficacy of art therapy: A review of findings. *Art therapy*, 27(3), 108-118.  
Retrieved from <https://doi.org/10.1080/07421656.2010.10129660>

Wineman, S. (2003). *Power-Under: Trauma and non-violent social change*. Self Published. Retrieved from [http://www.traumaandnonviolence.com/files/Power\\_Under.pdf](http://www.traumaandnonviolence.com/files/Power_Under.pdf)